

Reproducible builds everywhere

Bit by bit identical binaries
from a given source

Holger 'h01ger' Levsen

GUUG Frühjahrsfachgespräch 2017
Darmstadt, Germany
2017-03-24

about h01ger

- B8BF 5413 7B09 D35C F026 FE9D 091A B856 069A AA1C
- Debian user since 1995, contributor since 2001, official developer status since 2007
- DebConf organizer, founded the DebConf video team
 - ▶ <http://video.debian.net>
- Debian-Edu (Debian for education)
- Debian QA (quality assurance)
 - ▶ <https://piuparts.debian.org>
 - ▶ <https://jenkins.debian.net> (1400 jobs continuously testing Debian)
- Debian Reproducible builds team member
 - ▶ since April 2015 funded by the Linux Foundation

about h01ger

- B8BF 5413 7B09 D35C F026 FE9D 091A B856 069A AA1C
- Debian user since 1995, contributor since 2001, official developer status since 2007
- DebConf organizer, founded the DebConf video team
 - ▶ <http://video.debian.net>
- Debian-Edu (Debian for education)
- Debian QA (quality assurance)
 - ▶ <https://piuparts.debian.org>
 - ▶ <https://jenkins.debian.net> (1400 jobs continuously testing Debian)
- Debian Reproducible builds team member
 - ▶ since April 2015 funded by the Linux Foundation
- Ich spreche auch Deutsch... sometimes.



Debian reproducible builds contributors

akira
Alexis Bienvenüe
Andrew Ayer
Asheesh Laroia
Boyuan Yang
Ceridwen
Chris Lamb
Chris West
Christoph Berg
Clint Adams
Dafydd Harries
Daniel Kahn Gillmor
Daniel Shahaf
Daniel Stender
David Suarez
Dhole
Drew Fisher
Emmanuel Bourg

Emanuel Bronshtein
Esa Peuha
Fabian Wolff
Guillem Jover
Hans-Christoph Steiner
Harlan Lieberman-Berg
Helmut Grohne
Holger Levsen
HW42
Intrigeri
Jelmer Vernooij
josch
Juan Picca
Lunar
Maria Glukhova
Mathieu Bridon
Mattia Rizzolo
Nicolas Boulenguez
Niels Thykier

Niko Tyni
Paul Wise
Peter De Wachter
Philip Rinn
Reiner Herrmann
Robbie Harwood
Santiago Vila
Sascha Steinbiss
Satyam Zode
Scarlett Clark
Stefano Rivera
Stéphane Glondu
Steven Chamberlain
Tom Fitzhenry
Valerie Young
Valentin Lorentz
Wookey
Ximin Luo



Debian reproducible builds contributors

akira
Alexis Bienvenüe
Andrew Ayer
Asheesh Laroia
Boyuan Yang
Ceridwen
Chris Lamb
Chris West
Christoph Berg
Clint Adams
Dafydd Harries
Daniel Kahn Gillmor
Daniel Shahaf
Daniel Stender
David Suarez
Dhole
Drew Fisher
Emmanuel Bourg

Emanuel Bronshtein
Esa Peuha
Fabian Wolff
Guillem Jover
Hans-Christoph Steiner
Harlan Lieberman-Berg
Helmut Grohne
Holger Levsen
HW42
Intrigeri
Jelmer Vernooij
josch
Juan Picca
Lunar
Maria Glukhova
Mathieu Bridon
Mattia Rizzolo
Nicolas Boulenguez
Niels Thykier

Niko Tyni
Paul Wise
Peter De Wachter
Philip Rinn
Reiner Herrmann
Robbie Harwood
Santiago Vila
Sascha Steinbiss
Satyam Zode
Scarlett Clark
Stefano Rivera
Stéphane Glondu
Steven Chamberlain
Tom Fitzhenry
Valerie Young
Valentin Lorentz
Wookey
Ximin Luo



Who are you?



Who are you?

- Seen a talk about reproducible builds?

Who are you?

- Seen a talk about reproducible builds?
- Contributed to the effort?

Who are you?

- Seen a talk about reproducible builds?
- Contributed to the effort?
- Uses Debian or a Debian based systems?

Who are you?

- Seen a talk about reproducible builds?
- Contributed to the effort?
- Uses Debian or a Debian based systems?
- Uses Fedora, RHEL, CentOS or a Fedora derivative based systems?

Who are you?

- Seen a talk about reproducible builds?
- Contributed to the effort?
- Uses Debian or a Debian based systems?
- Uses Fedora, RHEL, CentOS or a Fedora derivative based systems?
- BSD?



1

Motivation

2

Common resources

3

Status Debian

4

Status Non-Debian World

5

Future work

6

Getting involved

7

Feedback

The problem: we need to believe

- Free Software is great: one can study, modify, share and use it!

The problem: we need to believe

- Free Software is great: one can study, modify, share and use it!
- We study, modify and share source code.
- We use binaries.


The problem: we need to believe

- Free Software is great: one can study, modify, share and use it!
- We study, modify and share source code.
- We use binaries.
- We need to believe our binaries come from the source code they are said to made from.

The problem: we need to believe

- Free Software is great: one can study, modify, share and use it!
- We study, modify and share source code.
- We use binaries.
- We need to believe our binaries come from the source code they are said to be made from.
- **I do not want to believe.**

The problem in greater detail



Available on media.ccc.de, 31c3

A few examples from that 31c3 talk

- CVE-2002-0083: remote root exploit in sshd, a single bit difference in the binary

A few examples from that 31c3 talk

- CVE-2002-0083: remote root exploit in sshd, a single bit difference in the binary
- 31c3 talk had a live demo with a kernel module modifying source code in memory only

A few examples from that 31c3 talk

- CVE-2002-0083: remote root exploit in sshd, a single bit difference in the binary
- 31c3 talk had a live demo with a kernel module modifying source code in memory only
- How can you be sure what's running on your machine or on a build daemon network connected to the net? Do you ever leave your computers physically alone?

A few examples from that 31c3 talk

- CVE-2002-0083: remote root exploit in sshd, a single bit difference in the binary
- 31c3 talk had a live demo with a kernel module modifying source code in memory only
- How can you be sure what's running on your machine or on a build daemon network connected to the net? Do you ever leave your computers physically alone?
- How much do you pay your admins? Enough to withstand a multi million dollar attack?

A few examples from that 31c3 talk

- CVE-2002-0083: remote root exploit in sshd, a single bit difference in the binary
- 31c3 talk had a live demo with a kernel module modifying source code in memory only
- How can you be sure what's running on your machine or on a build daemon network connected to the net? Do you ever leave your computers physically alone?
- How much do you pay your admins? Enough to withstand a multi million dollar attack?
- Legal challenges. Could you be forced to backdoor (some of) your software (for some customers)?

Another example from real life

At a CIA conference in 2012:

[edit] (S//NF) Strawhorse: Attacking the MacOS and iOS Software Development Kit

(S) Presenter: ██████████ Sandia National Laboratories

(S//NF) Ken Thompson's gcc attack (described in his 1984 Turing award acceptance speech) motivates the StrawMan work: **what can be done** of benefit to the US Intelligence Community (IC) **if one can make an arbitrary modification to a system compiler** or Software Development Kit (SDK)? A (whacked) SDK can provide a subtle injection vector onto standalone developer networks, or it can modify any binary compiled by that SDK. **In the past, we have watermarked binaries for attribution, used binaries as an exfiltration mechanism, and inserted Trojans into compiled binaries.**

(S//NF) In this talk, we discuss our explorations of the Xcode (4.1) SDK. Xcode is used to compile MacOS X applications and kernel extensions as well as iOS applications. We describe how we use (our whacked) Xcode to do the following things: -Entice all MacOS applications to create a remote backdoor on execution -Modify a dynamic dependency of securityd to load our own library - which rewrites securityd so that no prompt appears when exporting a developer's private key -Embed the developer's private key in all iOS applications -Force all iOS applications to send embedded data to a listening post -Convince all (new) kernel extensions to disable ASLR

(S//NF) We also describe how we modified both the MacOS X updater to install an extra kernel extension (a keylogger) and the Xcode installer to include our SDK whacks.

[firstlook.org/theintercept/2015/03/10/
ispy-cia-campaign-steal-apples-secrets/](http://firstlook.org/theintercept/2015/03/10/ispy-cia-campaign-steal-apples-secrets/)

The solution

Promise that anyone can always and independently generate identical binary packages from a given source

The solution

We call this:

“Reproducible builds”

Debian demo

- Build a package 5 times, get 5 .debs with different checksums



Debian demo

- Build a package 5 times, get 5 .debs with different checksums
- Build a package 5 times, get 5 .debs with the same checksum



Debian demo

- Build a package 5 times, get 5 .debs with different checksums
- Build a package 5 times, get 5 .debs with the same checksum
- Yes, it's really this simple.





This should become the
norm.



This should become the
norm.

We want to change the meaning of "free software":
it's only free software if it's reproducible!

More benefits than "just" security...

- Lots and lots of QA benefits - we've found so many subtle bugs.

More benefits than "just" security...

- Lots and lots of QA benefits - we've found so many subtle bugs.
- Google does reproducible builds, to save time and money.

More benefits than "just" security...

- Lots and lots of QA benefits - we've found so many subtle bugs.
- Google does reproducible builds, to save time and money.
- Smaller deltas, thus faster updates possible (for packages and images).

More benefits than "just" security...

- Lots and lots of QA benefits - we've found so many subtle bugs.
- Google does reproducible builds, to save time and money.
- Smaller deltas, thus faster updates possible (for packages and images).
- Side effect: meaningful binary diff between two versions.

More benefits than "just" security...

- Lots and lots of QA benefits - we've found so many subtle bugs.
- Google does reproducible builds, to save time and money.
- Smaller deltas, thus faster updates possible (for packages and images).
- Side effect: meaningful binary diff between two versions.
- ...

- 
- 1 Motivation
 - 2 Common resources
 - 3 Status Debian
 - 4 Status Non-Debian World
 - 5 Future work
 - 6 Getting involved
 - 7 Feedback

reproducible-builds.org

- <https://reproducible-builds.org>
- git repositories, IRC channels, mailinglists, webspace

reproducible-builds.org

Provide a verifiable path from source code to binary.

What is it
about?

Reproducible builds are a set of software development practices which create a **verifiable path from** human readable **source code** to the **binary** code used by computers.


Why does
it matter?

Most aspect of software verification is done on source code, as that is what humans can reasonably understand. But most of the time, computers require software to be first built into long string of numbers to be used. With *reproducible builds*, multiple parties can **redo this process independently** and ensure they **all get exactly the same result**. We can thus **grow confidence** than a

Debugging problems:

<https://try.diffoscope.org>

- Examines differences **in depth**.
- Recursively unpacks archives, uncompresses PDFs, disassembles binaries, unpacks Gettext files, ...
- Easy to extend to new file formats.
- Falls back to binary comparison.
- Outputs HTML or plain text with human readable differences.
- Available from git, PyPI, Debian, Arch Linux, Guix, Homebrew, Fedora. Works on BSD.
- Maintainers in other distros wanted.
- <https://diffoscope.org/>




diffoscope example (HTML output)

```
51431INSERT INTO `targets` VALUES ('ttu.ee', 13611); 51438INSERT INTO `targets` VALUES ('ttu.ee', 13542);
51432INSERT INTO `targets` VALUES ('ttu.ee', 13611); 51439INSERT INTO `targets` VALUES ('ttu.ee', 13542);
51433[ 9300 lines removed ] 51440[ 9314 lines removed ]
60733CREATE TABLE `git_commit` 60754CREATE TABLE `git_commit`
60734..... (git_commit TEXT); 60755..... (git_commit TEXT);
60735INSERT INTO `git_commit` VALUES ('cd09fb8c2161a 60756INSERT INTO `git_commit` VALUES ('e78fe5d803208
8d1280b848eaab3b14d35fe3044'); bf6c877dc675cdb4f1b719e7519');
60736COMMIT; 60757COMMIT;
```


install.rdf

Offset 5, 15 lines modified	Offset 5, 15 lines modified
5<Description about="urn:mozilla:install-manifest">	5<Description about="urn:mozilla:install-manifest">
6<em: name>HTTPS-Everywhere</em: name>	6<em: name>HTTPS-Everywhere</em: name>
7<em: creator>Mike Perry, Peter Eckersley, & Yan Zhu</em: creator>	7<em: creator>Mike Perry, Peter Eckersley, & Yan Zhu</em: creator>
8<em: aboutURL>chrome://https-everywhere/content/about.xul</em: aboutURL>	8<em: aboutURL>chrome://https-everywhere/content/about.xul</em: aboutURL>
9<em: id>https-everywhere@eff.org</em: id>	9<em: id>https-everywhere@eff.org</em: id>
10<em: type>2</em: type><!-- type: Extension -->	10<em: type>2</em: type><!-- type: Extension -->
11<em: description>Encrypt the Web! Automatically use HTTPS security on many sites.</em: description>	11<em: description>Encrypt the Web! Automatically use HTTPS security on many sites.</em: description>
12<em: version>5.0.6</em: version>	12<em: version>5.0.7</em: version>
13<em: multiprocessCompatible>true</em: multiprocessCompatible>	13<em: multiprocessCompatible>true</em: multiprocessCompatible>




diffoscope is "just" for debugging

- Reminder: diffoscope is for **debugging**
- "reproducible" according to our definition means: **bit by bit identical**. So the tools for testing whether something is reproducible are either `diff` or `sha256sum`!



diffoscope is "just" for debugging

- Reminder: diffoscope is for **debugging**
- "reproducible" according to our definition means: **bit by bit identical**. So the tools for testing whether something is reproducible are either `diff` or `sha256sum`!
- <https://try.diffoscope.org>



tests.reproducible-builds.org

- Continuously testing Debian testing, unstable and experimental
- Also testing: coreboot, OpenWrt, LEDE, NetBSD, FreeBSD, Arch Linux, Fedora and soon F-Droid too
- 46 nodes (amd64/i386/arm64/armhf), >200 cores and >1 TB RAM
- 502 jenkins jobs running on jenkins.debian.net
- 43 scripts in Python and Bash, 283 lines of code in average
- 37 contributors for jenkins.debian.net.git



Variations (when testing Debian)

variation	first build	second build
hostname	jenkins	i-capture-the-hostname
domainname	debian.net	i-capture-the-domainname
env TZ	GMT+12	GMT-14
env LANG	C	fr_CH.UTF-8
env LC_ALL	not set	fr_CH.UTF-8
env USER	pbuilder1	pbuilder2
uid	1111	2222
gid	1111	2222
UTS namespace	shared with the host	<i>modified using /usr/bin/unshare --uts</i>
kernel version	Linux 3.16 or 4.X	on amd64 and arm64 always varied on armhf sometimes on i386 32/64bit kernel variation instead
umask	0022	0002
CPU type		varied on i386: Intel or AMD CPU on armhf varied a bit not varied on amd64 nor arm64
filesystem	tmpfs	same for both builds on amd64, i386 and arm64 on armhf ext3/4 <i>(and we have disorderfs, but the code is disabled)</i>
year, month, date	on amd64, arm64 and i386: 398 days variation, on armhf not yet	
hour, minute	hour and minute deterministically and non-deterministically varied...	
everything else	<i>is likely the same...</i>	

Common problems

- time stamps
- timezones
- locales
- build paths
- everything else (seperated into known issues and the blurry rest)

Documentation about common problems

- <https://reproducible-builds.org/docs>
- Lunar's talk from CCCamp 2015 also on <https://media.ccc.de>

Avoid (true) randomness

- Randomness is not deterministic


```
int getRandomNumber()
{
    return 4; // chosen by fair dice roll
            // guaranteed to be random
}
```

XXCD #221

Example

```
$ gcc -flto -c utils.c
$ nm -a utils.o | grep inline
0000000000000000 n .gnu.lto_.inline.381a277a0b6d2a35
```

CCCamp15 29 / 50



SOURCE_DATE_EPOCH

- Build date (timestamps) usually not useful for the user
- SOURCE_DATE_EPOCH is defined as the last modification of the source, since the epoch (1970-01-01)
- can be used instead of current date
- can also be used for random seeds etc.
- in Debian, set from the latest debian/changelog entry
- can be set based on the latest git commit or the latest file modification date too

SOURCE_DATE_EPOCH

- SOURCE_DATE_EPOCH spec available:
- <https://reproducible-builds.org/specs/>
- many upstreams support it already
- has been adopted by other distributions (openSUSE, OpenWrt, LEDE, NetBSD, FreeBSD, Arch Linux, coreboot, Guix, ...) and many many upstreams (GCC, dpkg, rpm, mkisofs, ghostscript, libxslt, sphinx, texlive-bin, ...)

two more tools

- strip-nondeterminism


two more tools

- strip-nondeterminism
- reprotest

- 
- 1 Motivation
 - 2 Common resources
 - 3 Status Debian**
 - 4 Status Non-Debian World
 - 5 Future work
 - 6 Getting involved
 - 7 Feedback

Progress in Debian testing ("stretch")


Reproducibility status for packages in 'testing' for 'amd64'



23,378 (93.8%) out of 24,909 source packages are reproducible
in our test framework on amd64

Progress in Debian unstable

Reproducibility status for packages in 'unstable' for 'amd64'



20,597 (79.2%) out of 25,982 source packages are reproducible in our test framework on amd64 (difference due to build path variations)

BUILD_PATH_PREFIX_MAP

- Those 93.8% in Stretch are nice, but...
- We want to be able to build in any path.
- 15-20% of the packages embed build-time paths into generated files, even though these paths do not exist at runtime, nor do they exist in the source code.
- BUILD_PATH_PREFIX_MAP spec available, though we have formally released it yet...
- <https://reproducible-builds.org/specs/>
- Example patches exist, though this is still work in progress.

Details on tests.reproducible-builds.org

- [https://reproducible.debian.net/\\$src](https://reproducible.debian.net/$src)
- 48 package sets
- 292 categorised distinct issues
- 6,604 notes
- 1,473 unreproducible packages in stretch/amd64 (testing), but only 90 without a note (5,253 in unstable but also only 149 without a note)
- maintained in `notes.git` by 49 contributors
- currently Debian only, but cross distro notes are planned


Debian .buildinfo files

- Aggregates in the same file:
 - ▶ Sources (checksums)
 - ▶ Generated binaries (checksums)
 - ▶ Packages used to build (with specific version, checksums coming soon)
- Can be later used to exactly recreate environment
- For Debian, all versions are available from `snapshot.debian.org`



Progress in the Debian bug tracker

Open and closed bugs (with all usertags except tagged 'ftbfs')



As a rule, we file bugs with patches.
There are very few exceptions.



Sending progress upstream

- So we filed a lot of bugs... with patches...! And 1763 were even closed.
- ... but only in Debian and we rely on Debian maintainers sending them upstream.



Sending progress upstream

- So we filed a lot of bugs... with patches...! And 1763 were even closed.
- ... but only in Debian and we rely on Debian maintainers sending them upstream.
- Bernard Wiedemann (from openSUSE) thought that wasn't good enough and created <https://github.com/orgs/distropatches>



Sending progress upstream

- So we filed a lot of bugs... with patches...! And 1763 were even closed.
- ... but only in Debian and we rely on Debian maintainers sending them upstream.
- Bernard Wiedemann (from openSUSE) thought that wasn't good enough and created <https://github.com/orgs/distropatches>
- Once Debian 10, "buster" development starts, we plan to tackle those 547 open bugs too...



Debian summary / What's left to do

- This is/was a proof-of-concept, Debian is neither 93.8% reproducible nor 79.2%. (and 10% > 2,500 sources packages!)



Debian summary / What's left to do

- This is/was a proof-of-concept, Debian is neither 93.8% reproducible nor 79.2%. (and 10% > 2,500 sources packages!)
- All our required changes are finally in Debian now!
- Debian 9, "stretch", has 93% reproducible sources, but only one third of the binary packages are...
- Because, Debian does not (yet?) do full rebuilds before releasing... so stuff is in the archive which is not reproducible unless it's rebuild.



Debian summary / What's left to do

- This is/was a proof-of-concept, Debian is neither 93.8% reproducible nor 79.2%. (and 10% > 2,500 sources packages!)
- All our required changes are finally in Debian now!
- Debian 9, "stretch", has 93% reproducible sources, but only one third of the binary packages are...
- Because, Debian does not (yet?) do full rebuilds before releasing... so stuff is in the archive which is not reproducible unless it's rebuild.
- And then we don't distribute `.buildinfo` files yet. That (and user tools) still needs more *design and code*.

Debian summary continued

- Debian 9, "stretch", is mostly reproducible (from source).
- Canonical can take our work now and make Ubuntu 17.04 (partyl) reproducible...



Debian summary continued

- Debian 9, "stretch", is mostly reproducible (from source).
- Canonical can take our work now and make Ubuntu 17.04 (party!) reproducible...
- Security updates for "stretch" can+should be reproducible!



Debian summary continued

- Debian 9, "stretch", is mostly reproducible (from source).
- Canonical can take our work now and make Ubuntu 17.04 (party!) reproducible...
- Security updates for "stretch" can+should be reproducible!
- Debian 10, "buster", will be our first reproducible release, few exceptions expected.



Debian summary continued

- Debian 9, "stretch", is mostly reproducible (from source).
- Canonical can take our work now and make Ubuntu 17.04 (party!) reproducible...
- Security updates for "stretch" can+should be reproducible!
- Debian 10, "buster", will be our first reproducible release, few exceptions expected.
- We hope debian-policy will mandate 100% reproducible builds for Debian 11, "bullseye", with development starting in 2019.

Tell the world & collaborate

- "We don't care about Debian (only), we care about free and open source software."



Tell the world & collaborate

- "We don't care about Debian (only), we care about free and open source software."
- 99 Weekly reports since May 2015
 - ▶ started by Lunar
 - ▶ nowadays published weekly by Chris and Ximin
 - ▶ <https://reproducible.alioth.debian.org/blog/>



Tell the world & collaborate

- "We don't care about Debian (only), we care about free and open source software."
- 99 Weekly reports since May 2015
 - ▶ started by Lunar
 - ▶ nowadays published weekly by Chris and Ximin
 - ▶ <https://reproducible.alioth.debian.org/blog/>
 - ▶ so next week will be the **100th** !!




Tell the world & collaborate (continued)

- First Reproducible World Summit in December 2015 (Athens, Greece)
 - ▶ `reproducible.debian.net` became `tests.reproducible-builds.org`
- Second Reproducible World Summit in December 2016 in Berlin
- Reproducible Builds Hamburg Hackathon 2017, **5-7th of May**
- Third summit in December 2017?



Tell the world & collaborate (continued)

- First Reproducible World Summit in December 2015 (Athens, Greece)
 - ▶ `reproducible.debian.net` became `tests.reproducible-builds.org`
- Second Reproducible World Summit in December 2016 in Berlin
- Reproducible Builds Hamburg Hackathon 2017, **5-7th of May**
- Third summit in December 2017?
- GSoC and Outreachy

- 
- 1 Motivation
 - 2 Common resources
 - 3 Status Debian
 - 4 Status Non-Debian World**
 - 5 Future work
 - 6 Getting involved
 - 7 Feedback

Skipping some...

- <https://tests.r-b.org/coreboot>
- <https://tests.r-b.org/lede>
- <https://tests.r-b.org/openwrt>
- almost: <https://tests.r-b.org/f-droid>
- paused: <https://tests.r-b.org/archlinux>



OpenWrt
Wireless Freedom



Skipping some more...

- Cygnus.com (1992)
- Bitcoin (2011)
- Torbrowser (2013)

Skipping some more...

- Cygnus.com (1992)
- Bitcoin (2011)
- Torbrowser (2013)
- NixOS, GNU Guix
- ElectroBSD
- webconverger, Tails
- Google Basil, Yocto, docker

Skipping some more...

- Cygnus.com (1992)
- Bitcoin (2011)
- Torbrowser (2013)
- NixOS, GNU Guix
- ElectroBSD
- webconverger, Tails
- Google Basil, Yocto, docker
- ducible (build tool for Windows)
- very few commercial, proprietary software
- Signal
- Shim (secure-boot)

Detour: what, reproducible commercial Software???

- Guess which

Detour: what, reproducible commercial Software???

- Guess which
- windows? (the source is available)
- medical devices in your body?
- arms?
- critical infrastructure like in nuclear powerplants?
- cars?

Detour: what, reproducible commercial Software???

- Guess which
- windows? (the source is available)
- medical devices in your body?
- arms?
- critical infrastructure like in nuclear powerplants?
- cars?
- Gambling machines!

FreeBSD vs NetBSD

- <https://tests.r-b.org/freebsd> at 99.6%
- <https://tests.r-b.org/netbsd> reached 100%



FreeBSD vs NetBSD

- <https://tests.r-b.org/freebsd> at 99.6%
- <https://tests.r-b.org/netbsd> reached 100%
- only base system built so far
- NetBSD uses non-default settings to achieve this
- ports planned



reproducible openSUSE

- <https://build.opensuse.org/package/show/home:bmwiedemann:reproducible/rpm?expand=0>
- Bernhard Wiedemann has built openSUSE twice (with some variations):
 - ▶ build-succeeded: 3172
 - ▶ bit-by-bit-identical: 2117
 - ▶ not-bit-by-bit-identical: 1055



- used to test Fedora 23, could be made working again
- or build elsewhere and machine readable exported



Fedora basics

- `diffoscope` is available in Fedora
- `yum` and `dnf` might create non-identical environments
- `rpm-4.13` has an option to override hostname via `rpmmacros`
- signed RPMs -> re-apply signature, will match for identical builds



TODO: design .buildinfo files from koji/mock/zypper

- rfc822 format?
- needs to define the environment
- needs to define the sources (input)
- needs to define the binaries (output)



- 
- 1 Motivation
 - 2 Common resources
 - 3 Status Debian
 - 4 Status Non-Debian World
 - 5 Future work**
 - 6 Getting involved
 - 7 Feedback

Future work

- So far we mostly worked on making reproducible builds possible...

Future work

- So far we mostly worked on making reproducible builds possible...
- We'll need constant tests for future code.

Future work

- So far we mostly worked on making reproducible builds possible...
- We'll need constant tests for future code.
- And then, this still needs tools, infrastructure and policies to become meaningful and to be used in practice.

Rebuilds and sharing signed checksums

- Almost no work has been done here yet. We are just at the first step: being able to rebuild reproducibly...
- Different projects, different solutions?

Rebuilds and sharing signed checksums

- Almost no work has been done here yet. We are just at the first step: being able to rebuild reproducibly...
- Different projects, different solutions?
 - ▶ something like `.buildinfo` files (defining the environment, the input and the output(s)) will be needed everywhere:
 - ▶ implemented for Debian (both in `sbuid` and well as `buildinfo.debian.net`)
 - ▶ work has begun for `coreboot`, `LEDE/OpenWrt` and `Fedora` (`mock/koji`) and maybe `openSUSE` (`OpenBuildService`)

Rebuilders and sharing signed checksums, cont.

- Individually signed checksums (think web of trust) could work in the Debian case (we have a gpg web of trust), but IMO won't scale.
- Another idea: rebuilders, run by large organisations, eg. ACLU, BSI, CCC, Deutsche Bank, Greenpeace, GUUG, NASA, NSA, etc...
- Fedora rebuilds Debian, Debian rebuilds openSUSE, openSUSE rebuilds NetBSD, etc...
- Big customers could just rebuild everything themselves.

Integration in user tools

- "Do you really want to install this unreproducible software (y/N)"

Integration in user tools

- "Do you really want to install this unreproducible software (y/N)"
- "Do you want to build those packages which have unconfirmed checksums, before installing? (Y/n)"

Integration in user tools

- "Do you really want to install this unreproducible software (y/N)"
- "Do you want to build those packages which have unconfirmed checksums, before installing? (Y/n)"
- "How many signed checksums do you require to call a package 'reproducible'?" - and whom do you trust?

- 
- 1 Motivation
 - 2 Common resources
 - 3 Status Debian
 - 4 Status Non-Debian World
 - 5 Future work
 - 6 Getting involved**
 - 7 Feedback

As a software developer

- Stop using build dates
- Use `SOURCE_DATE_EPOCH` instead
- See <https://reproducible-builds.org/specs/>

Form your reproducible builds team!

- Why?

- ▶ Every distribution should be reproducible!
- ▶ Learn something new everyday
- ▶ Change the (software) world!



`https://tests.reproducible-builds.org/$distro`
needs **your** help

- How to get started?

- ▶ Build something twice, run diffoscope on the results.
- ▶ Experiment - learning by doing
- ▶ RTFM, there is lots of documentation
- ▶ Talk to me here or talk to us on IRC or via mail.

- 
- 1 Motivation
 - 2 Common resources
 - 3 Status Debian
 - 4 Status Non-Debian World
 - 5 Future work
 - 6 Getting involved
 - 7 **Feedback**

Thank You!

- All “Reproducible Builds” contributors
(You are just **so** awesome!)



holger@debian.org B8BF 5413 7B09 D35C F026
FE9D 091A B856 069A AA1C




Questions, comments, ideas?

- <https://reproducible-builds.org/>
- #reproducible-builds on irc.0FTC.net
- <https://lists.reproducible-builds.org>
- twitter: @ReproBuild

Questions, comments, ideas?

- <https://reproducible-builds.org/>
- #reproducible-builds on irc.OFTC.net
- <https://lists.reproducible-builds.org>
- twitter: @ReproBuild
- Mike and Seth's talk from 31c3 about motivations
- Lunar's talk about fixing reproducible issues from CCCamp 15



Copyright © 2014–2017
Holger Levsen holger@layer-acht.org and others.

Copyright of images included in this document are held by their respective owners.

This work is licensed under the **Creative Commons Attribution-Share Alike 3.0** License. To view a copy of this license, visit <http://creativecommons.org/licenses/by-sa/3.0/> or send a letter to Creative Commons, 171 Second Street, Suite 300, San Francisco, California, 94105, USA.

The source of this document is available from
<https://anonscm.debian.org/git/reproducible/presentations.git>.

